

Stuck in the Slow Lane: Traffic Composition and the Measurement of Trucking Productivity

Kenneth D. Boyer
Michigan State University
boyerkd@msu.edu

Stephen V. Burks
University of Minnesota-Morris
svburks@morris.umn.edu

November 2006

Abstract:

Mirroring the railroad industry of the 1940's and 1950's, the trucking industry today appears to be achieving impressive productivity gains. But it is easy to mistake true productivity advances in transportation industries with changes in ton-miles per unit of input that are due simply to changes in the composition of traffic, as was the case with mid-20th century U.S. railroads. This is due to the fact that transportation has vastly different productivities in different settings—for example, long-haul and short haul traffic—and the measurement of changes in physical productivity can be overwhelmed by even subtle changes in the traffic mix. After controlling for endogenous changes in the composition of truck traffic, we find that trucking has in fact been a lagging sector of the economy, with productivity changes much more likely due to changes in speed limits and the dimensions of vehicles than adoption of information technology. Our finding of a slow improvement in the physical productivity of trucking inputs does not deny the real improvements in the quality of trucking service (reliability, predictability, speed, order tracking, etc.) that have taken place in the last quarter century. But as in other service industries, true physical productivity improvements in trucking are hard to find.

JEL classification: L92, D24, C43

1. Introduction¹

Deregulation and the logistics revolution have transformed the American economic landscape over the last thirty years. At the heart of the logistics revolution has been an apparently dynamic trucking industry. As the price of transportation and the cost of assembling loads plummeted, the quantity of freight and the average distance of freight movements increased. The trucking industry's adoption of information technology has been well documented and occurred simultaneously with the removal of government restrictions and the rapid increase in freight ton-miles.

This picture of a dynamic industry, using information technology and achieving impressive cost reductions is eerily reminiscent of the US railroad industry in the post World War II era. Soaring railroad ton-miles per worker-hour in the 1940's and 1950's occurred at the time that the industry was replacing steam with diesel locomotives. Costs per ton-mile declined rapidly. The idea that the sector had rapidly improving productivity affected labor negotiations within the railroad industry, and public policy towards it. But a famous study by academic economists (Meyer et al., 1973) demonstrated that the rapid productivity improvements were mostly an illusion, due to a change in traffic composition rather than the adoption of new

¹ We gratefully acknowledge the assistance of the Census Bureau, which went to a special effort to supply the older VIUS microdata sets. Essential research assistance was received from Andrea Hannan, Josephine Myers-Kuykindall, Katie Polinder, Rebecca Schlafer, and Andrew Anderson. Helpful comments were received from Thomas Hubbard and participants at the MSU applied economics workshop and the International Industrial Organization Conference. Burks also gratefully acknowledges support from the Sloan Foundation's Trucking Industry Program. Errors are the responsibility of the authors.

production techniques. Traffic shifts in the 1950's and '60's left railroads with a preponderance of traffic like coal where ton-miles per worker hour were high, as trucks took short haul and less dense traffic, where ton-miles per worker hour were much lower. The loss to trucks of traffic that was costly to handle led to increases in aggregate ton-miles per worker-hour without any changes in operational efficiency.

This paper argues that a similar scenario is playing out in the trucking industry today. Like all transportation industries, the measurement of productivity is highly sensitive to traffic composition and accurate measurements of productivity changes must control for traffic mix. An example of the importance of controlling for traffic composition when measuring transportation productivity are provided by two recent papers that attempt to draw lessons from trucking productivity changes for the broader economy. One attempts to measure the effects of increases in public capital (Fernald, 1999.) Another tries to document the effect of the adoption of information technology (Hubbard, 2003). Fernald finds that transportation industries, of which trucking is by far the largest part, had unusually large productivity increases in period from 1953-1973. Hubbard finds that the use of on-board computers increases productivity of trucks by double-digit amounts, using data from 1992 and 1997. Hubbard's work received considerable notice because it was the first to find significant physical productivity improvements as a result of the adoption of information technology, in contrast to the quality improvements that are the unquestioned (albeit hard-to-measure) result of computerization.

The finding of large productivity improvements in a service industry like transportation appears to contradict the logic that the pace of productivity improvement should be low in service sectors (Baumol, 1967, 1968, 1972.) Indeed, the Baumol hypothesis seems to be especially compelling in trucking. Trucking is transparently simple. A truck requires a single

driver. Without the driver, there is no production. A second driver never operates the vehicle simultaneously with the first, and one driver never operates two trucks at one time. In order for trucking productivity to increase, then, trucks and their drivers must either travel farther in a year while loaded, or carry more tons in their loads. The dimensions and weight limits of a truck are fixed by law, as are speed limits and hours of service. The scope for getting more ton-miles per truck per year by the classic manufacturing method—substituting capital for labor through automation—appears to be modest at best in this industry.

In this paper, we will show that previous measurements of trucking industry productivity have failed to account for systematic endogenous changes in the composition of truck traffic. We focus on the single most common type of heavy trucking equipment—the standard enclosed van pulled by a heavy truck tractor. For these rigs, we calculate the average ton-miles per truck-and-driver combination over a fifteen year period following trucking deregulation. This permits us to compare the productivity of like vehicles over time, controlling for changes in traffic composition, something that is impossible to do if productivity is measured from financial accounts of trucking firms using flexible forms.

The focus on vehicles rather than firms is an engineering approach to measuring production functions. Using this approach, we will argue that the causality between measured productivity changes over time and cost changes in trucking is largely from costs to measured productivity, rather than from higher productivity to lower costs. There was a large increase in long-distance relative to short-distance trucking over the period from 1977 to 1997, as shown in Table 3 below. (See also, Burks *et al.* 2004.) This shift was driven primarily by a decline in the price for trucking services that occurred during this period. The price of trucking services declined due to a reduction of regulatory rents and sharp cuts over this period in the price of

inputs, notably drivers' wages and fuel prices. (Belzer 1995, Belman and Monaco 2001, Monaco and Brooks, 2001, Rose 1985).

We will demonstrate in Table 3 below that ton-miles per truck are the highest in long-haul markets. Long-haul trucks run many more miles per year than do those involved with short haul transportation, and this is exactly where the demand for trucking service was growing most rapidly. The result has been an apparent increase in productivity, but one due largely to an increasing proportion of long-distance traffic. This bias in productivity measures due to endogenous changes in output composition is an example of the aggregation issues in heterogeneous populations that are summarized in Blundel and Stoker (2005).

We will show in this paper that physical productivity in trucking has indeed increased, but at a lower rate than in the rest of the economy as a whole. The primary sources of increased productivity are an increase in miles per truck, due in part to increases in speed limits, and the increasing length of truck trailers, which has increased the interior volume of the average enclosed van over the period of our study, partly offsetting the trend to less densely-loaded trailers.

Section 2 lays out our method for calculating the productivity of driver-and-vehicle combinations from the sub-measures of miles per year, tons per loaded movement, and the likelihood of having a loaded movement. In this section we also describe our method for measuring traffic composition and separating composition effects from true changes in physical productivity. Section 3 provides the results of our measurement of trends in productivity sub-measures and traffic composition in the trucking industry at the end of the twentieth century. Section 4 concludes our paper and summarizes the argument.

2: Measuring Productivity Trends at the Vehicle Level

The classic physical output measure in transportation industries is ton-miles per year, defined as the product of tonnage and mileage for all truck movements in a year.

$$Q^y = \sum_{i=1}^{N^y} T_i^y M_i^y = \sum_{i=1}^{N^y} L_i^y T_i^y M_i^y \quad (1)$$

Where Q^y = ton miles in year y .

T_i^y is the Tons of freight carried by a truck on movement i in year y ,

M_i^y is the miles that freight was carried by a truck on movement i in year y ,

L_i^y is a binary variable indicating whether movement i in year y was loaded or empty.

N^y is the number of truck movements in year y .

The physical productivity of the industry relates to ton-miles per unit of input. In the trucking industry, the standard method of production for non-specialty heavy freight movements is one truck-tractor pulling an enclosed van. The characteristics of the basic enclosed van are determined primarily by limits imposed by state and federal law (TRB, 2002). Notable changes in the regulations regarding size over the period in question have been the Federal requirement that all states allow twin 28' trailers (which may be substituted for a single longer van) on Federal Aid highways and the gradual increase in single trailer lengths from 45' to 53' based on aggressive implementation of grandfather rights and state lobbying.

While for some lighter commodities the limits on trailer usage are determined by the physical volume of the van, for denser goods the maximum gross vehicle weight is the limiting factor. Maximum vehicle weights are the joint responsibility of state and federal governments, with the Federal law providing (at various times) both a floor and a ceiling on the maximum allowable weights. About a third of states opt for higher limits within all or part of their own

borders, and these regulations too have changed over time. The most common trucks operate in a configuration that permits them to cross state boundaries, and are governed by the Federal limits. As trucks were gradually getting longer, there also were changes in weight limits, with the maximum gross vehicle weight (GVW) for most Eastern states and some of the Midwest was raised from 73,280 lbs to a common 80,000 national standard. There has been a small movement towards trucking with triple trailers or extra-long doubles, but legal restrictions and the economic advantages of the loading flexibility gained by operating with a basic enclosed van has limited the expansion of longer combination vehicles. Our representative sample of trucks contained only a handful of longer combination vehicles—far too few to include the effects of longer combination vehicles in our analysis.

As noted previously, our approach to productivity measurement is to track changes in annual ton-miles per truck, which is calculated in equation (2) as ton-miles divided by trucks, or:

$$q^y = \frac{\sum_j \left(\sum_i T n_i^y M_i^y \right)}{n} = \frac{\sum_j \left(\sum_i L_i^y T_i^y M_i^y \right)}{n} \quad (2)$$

where variables are as defined in (1), plus
j indexes trucks in a fleet of size *n*,
i indexes movements of each truck in the fleet, and
and *q^y* measures ton-miles per truck in year *y*.

Data are not available on individual movements of trucks and thus ton-miles can not be calculated by directly applying the definition of equation (2). Instead we follow in this paper the universal convention of estimating the average ton-miles per vehicle in a given year with the following approximation:

$$q^y = \frac{\sum_{j=1}^{n^y} l_j^y t_j^y m_j^y}{n^y} \quad (3)$$

where

q^y measures the average ton-miles per truck-and-driver combination in year y ,

l_j^y is the proportion of trips that truck j operated loaded during year y ,

t_j^y is the average tons hauled by vehicle j in year y when the truck operated with a load,

m_j^y is the number of miles driven by vehicle j in year y , and

n^y is the number of trucks in the year y population.

As we will demonstrate in Table 3 below, trucks have very different productivities depending on the setting in which they are used. The data allow us to identify the primary range of operations of each sampled truck in each year in the following three categories: 1) Range: local (under 50 miles), short distance (50 to 200 miles), and long distance (in excess of 200 miles); 2) Sector: for hire, manufacturing, retailing, wholesaling, or other; and 3) Commodity carried: farm products, processed food, building materials, paper, chemicals, primary metal products, fabricated metal products, machinery, transportation equipment, furniture, textiles, forest products, petroleum and plastics products, and other.

With each truck in our data set having three independent descriptors (three ranges, five sectors, and fourteen commodities), each vehicle falls into one of 210 distinct categories. This allows us to rewrite equation 3 on the basis of aggregating over these segments. Thus, for the average truck in year y we have:

$$q^y = \sum_{k=1}^{210} l_k^y t_k^y m_k^y w_k^y \quad (4)$$

where

q^y measures the average ton-miles per truck-and-driver combination in year y ,

l_k^y is the proportion of movements of trucks in traffic segment k in year y that were operated loaded,

t_k^y is the average number of tons carried by trucks devoted to traffic segment k in year y , when they operate loaded,

m_k^y is the average number of miles per year traveled by trucks in traffic segment k in year y , and

w_k^y is the proportion of all truck traffic in year y that is in traffic segment k .

The data available in the VIUS is a repeated randomly-drawn cross section of the nation's trucks. The unit of observation is an individual truck. Every five years a new sample of trucks is selected. Since the median life of a truck is about the same as the sampling frequency, little is lost by not having a true panel of trucks. Our procedure is to do a pooled cross-section/time-series survey regression for each of the components of physical productivity—miles per truck, tons per truck, and the probability of being loaded. We regress the reported partial productivity measure for each truck (tons, miles, and proportion trips operated with a load) against the elements of the classification describing it, including appropriate time dummies and time-interaction effects. We then estimate ton-miles per truck in each year as the product of each of the predicted components of the measure (the predicted values of tons, miles, and the proportion of time loaded) and the actual percentage of traffic falling into each classification in the given year.

$$\hat{q}^y = \sum_{k=1}^{210} \hat{l}_k^y \hat{t}_k^y \hat{m}_k^y w_k^y \quad (5)$$

Our procedure for controlling for cumulative traffic composition effects over the period of our data follows in a straightforward fashion. We simply compare \hat{q}^{1997} with

$$\sum_{k=1}^{210} \hat{l}_k^{1997} \hat{t}_k^{1997} \hat{m}_k^{1997} w_k^{1982} \quad (6).$$

Formula (6) gives us a measure of the ton-miles of trucks in 1997, under the counterfactual assumption that the traffic composition had been held constant across the 210 segments as in 1982.

3: Productivity Trends at the Vehicle Level

Table 1 shows the results of estimations for each of the three partial productivity measures over the period 1977-1997. The year from which each observation was drawn is indicated by dummy variables, and the base year in the regression is 1982. The range in which the vehicle was primarily operated is indicated by one of two dummy variables (50 to 200 miles—short distance, and over 200 miles—long distance), and the base range is local (under 50 miles). The sector in which the vehicle operated is indicated by one of four dummy variables. The base sector is the residual group (that is, not wholesale, retail, manufacturing, or for-hire.) Each regression also contains fixed effects binary variables identifying the primary commodity carried. The base commodity is “other” (not one of the thirteen more specific commodities listed above, in Section 2). The year variables are interacted with the range of operation (local, short distance, long distance,) by the sector operating the truck (retail, wholesale, manufacturing, for hire, or other,) and in the case of the regression 3, with the weight of the truck by the length of the enclosed van represented by the record.

The first order effects visible at the top of Table 1 are that, relative to local movements, trucks engaging in long haul operations travel many more miles per year, are loaded more heavily, and are less likely to be involved in an empty movement. Longer trailers carry on average more freight than short ones. All of the listed sectors travel more miles and with fewer empty movements than the residual sector, but their freight tends to be lighter.

Equation 1 of Table 1 is estimated in logs to account for the very large difference in reported mileage and because the log form provided a superior fit. Miles were reported in 1977, but the other key partial productivity measures were not, and thus equation 1 extends the regression results five years earlier than do the regressions for the other measures, for which the data series start in 1982. Equation 1 has an excellent fit, indicating that miles traveled have a systematic relationship with sector, range, and commodity.

Equation 2 shows that the probability of operating with a load is also strongly affected by commodity, range, and sector. The first order effects show that a large jump in the marginal probability of operating with a load occurred between 1982 and 1987, followed by a dip in the probability in 1992 and a restoration of the 1987 levels by 1997, though the differences are statistically insignificant among the latter three years.

Equations 3 and 4 of Table 1 both report regressions of the net weight of the average load of a truck during a year against the descriptors of the truck usage. Equation 3 includes a measure of the length of the truck, while equation 4 eliminates these variables. According to the fitted values, each additional foot of cargo length increased the predicted load by 449 pounds in 1982, but this amount was lower in later years.

It is difficult to spot trends from the regressions in Table 1 since time enters in interacted form and the effect of time must be constructed from all of the time-varying effects that differ by sector, range, and commodity. Therefore, to analyze these trends, a forecast was made for each year for every combination of commodity, range, and sector in each of the years for which data are available. A weighted average for each of these forecasts was then made for each year, using the reported miles traveled in each group as the weights. In each case we add a second line which repeats the forecast, but with the effects of changes in the traffic mix from its composition

in 1982 removed, using the counterfactual calculations detailed in equations (5) and (6) of Section 2.

The results of these calculations are shown in Table 2, which presents our core evidence. The first block of results shows that there clearly were improvements in the average probability of operating with a load. The current year weighted average increased from 78.6% of trips operated with full loads in 1982 to 85.4% in 1997. The improvement was steady over the period, representing an average annual improvement of 0.54%. However, nearly half of this improvement was due to a shift in traffic composition, shifting from segments that have relatively low load factors to those with relatively high levels of loaded runs. Had the traffic composition been held constant at 1982 levels, the average annual improvement would have been only 0.29% annually.

The largest increases in the rows of Table 2 for our three measures of partial productivity are those associated with increases in miles per truck, with the average enclosed van increasing the number of miles driven per year from 63,628 miles to 82,053. This represents an annual percentage increase of 1.58% per year. However, again more than a third of this was due to a shift in the composition of traffic. Had the proportion of truck traffic in long distance versus local movements, and related shifts in the proportion of traffic in particular sectors and commodities, not taken place, the average annual increase in miles would have been measured at only 1%. It should be noted however, that this amount surely understates the true magnitude of traffic composition effects since it does not allow for shifts within the over-200 mile range. To

the extent, for example, that lower trucking prices led to the substitution of 200 mile hauls by 600 mile movements, our traffic composition measure will not pick up this effect.²

The most interesting trend in Table 2 is in the weight of cargo carried in enclosed vans. Trucks over this period were gradually lengthening to their current standard length of 53 feet and some states liberalized their weight laws. Over this period, the average weight of cargo per truck was essentially flat, despite more liberal regulations. However, this regulatory change hides a substantive trend: had trucks stayed the same length as they were in 1982 and had the relationship between loading and trailer length remained constant, there would have been a reduction in the average load at a rate of 0.59% per year. Also of interest is that this decline was exacerbated by traffic composition effects: had traffic composition been held constant at its 1982 values, the average load would have declined over this period at only .25% per year, or less than half the rate.

² The importance of shifts in the open-ended range is suggested by a regression (not reported here, but available from the authors) that repeated the same analysis as in Table 2 for the years 1992 and 1997 when data on a finer break-down of operating ranges was available. In these years, the ranges of truck operation were broken down into local (under 50 miles), short (50-100 miles,) short-medium (100-200 miles,) long-medium (200-500,) and long (500 miles or more one way.) With this finer breakdown of operating ranges, there is still a strong relationship between the miles per truck and operating ranges, with trucks operating in the two longest ranges generating more than 150% more miles per year than trucks devoted to local service. Between 1992 and 1997 there was an increase in distances operating by trucks operating in all ranges, and the increases were increasingly larger in the long distance ranges. But only in the case of long distance trucking (over 500 miles) did the increase approach significance.

There are two logical possibilities for why trucks carried smaller loads when controlling for length over this period—either freight is getting less dense as the economy moves away from heavy manufacturing towards lighter goods, or each truck is less completely loaded. The latter might occur, for example, if there is a move away from dispatching trucks based on whether they are full in favor of a system of scheduled deliveries. The data do not reveal the relative importance of these factors. What is clear, however, is that the reduction in the weight carried in trucks makes it appear that the partial physical productivity per worker, as measured by weight hauled, would have declined over this period, had the average length of trucks not increased.

The last two parts of Table 2 construct ton-miles as the product of the forecasted components, miles, fraction of runs loaded, and average load if not empty. Again, there are two weighting schemes—one tracking the current year traffic composition and one holding traffic composition constant at 1982. The difference is even more dramatic than for the components. Ton-miles per truck increased at an average annual rate of 1.85% per year between 1982 and 1997, but .54 percentage points can be traced to changes in traffic composition. If each of the 210 range/sector/commodity combinations had the same proportion of traffic in 1997 as it had in 1982, we would expect ton miles per truck to have increased by only 1.31% annually.

An even larger distinction is found if we hold constant the length of trucks at their 1982 level. Had that occurred without changes in traffic composition, annual ton-miles per truck would have increased by 1.33%. Holding traffic composition constant, the increase in productivity would have been only .84% per year.

We can directly estimate the proportion of the productivity growth in the U.S. truck fleet that is due to the increase in the length of basic enclosed vans. We compare the annual growth rate estimated with current (i.e.growing) trailer lengths, to that obtained when trailer lengths are

held constant at their 1982 levels. If we do this for the case in which the traffic mix is also allowed to change over time, we compare 1.85% per year to 1.33%, which says 52 percentage points, or 28% of the observed increase, came from trailer length increases. If we do this for the case in which the traffic mix is held fixed at its 1982 composition, we compare 1.31% per year to .84%, which says .47 percentage points, or 36% of the observed increase, came from trailer length increases. We conclude that about one third of the growth rate in trucking productivity over this period was due to increasing trailer lengths.

Table 3 gives a sense of why traffic composition effects are so large in the trucking sector. Column (1) shows the 1982 ton-miles per truck for different sectors, ranges, and commodities. By far the largest difference is within range, with trucks operating in long-distance movements producing more than 6 ton-miles per year for each ton-mile produced by trucks operating locally. Differences in sector are not quite as large, but for-hire operators of trucks manage to produce about twice the ton-miles per truck compared with operators in the “other” category. Carriers who deal with furniture are not as productive as those who carry wood products, again as measured by the ton-mile criterion.

Over the 15 year period for which this study has complete productivity data, the different ranges and sectors improved their productivity at very different rates. There was also a concurrent shift in the distribution of traffic as long haul movements increased at the expense of local and short-haul and the for-hire sector expanded by taking traffic that had formerly been handled by the retail and wholesale sectors. Within the category of general-purpose basic enclosed vans, trucks primarily hauling different commodities also have important differences in physical productivity, although the differences are not as large as for the other descriptors. Since commodity shipments are growing at different rates, and changes in characteristics of hauls are

similarly shifting, the measurement of physical productivity is also affected by the commodity composition of traffic.

All of these numbers should be compared with average productivity changes in the economy as a whole, which averaged 1.8% per year over this period. It is clear that trucking has been a lagging sector, like the railroad industry of the 1950's and '60's, a fact that has been masked by changes in the composition of truck traffic. The productivity increases that have occurred can be traced primarily to two factors—the increasing length of trucks over this period and an increase in miles per truck. The timing of latter effect is consistent with the increase in miles per truck being significantly due to an increase in speed limits that occurred in the mid 1980's and again in the mid 1990's.

4: Conclusion

Economic studies have favored the transportation industries due to the abundance of data in the sector, and the availability of physical output measures that can be used across firms and industry segments. However, the industry is characterized by extraordinary output heterogeneity, and has significant aggregation problems which, if ignored, can seriously bias results. This paper illustrates the importance of controlling for output heterogeneity when analyzing productivity issues in the transport sector. By controlling for changes in traffic composition, this paper has demonstrated that physical productivity improvements in the trucking industry have been relatively modest. There were small increases in output per truck following 1982, likely due to increased speed limits on U.S. highways, and also increases in productivity due to the increasing lengths of U.S. trucks—the latter offsetting a declining trend in loaded weights for highway freight movements. There have also been small steady increases in the percentage of highway vehicles that operate loaded, presumably due to improved data

processing that improves matching loads and drivers. The apparent levels of all of these effects are amplified, however, by changes in traffic composition. If traffic composition is controlled for, productivity differences over time in the industry appear to be quite modest.

The traffic composition effects found in this paper are moreover almost surely underestimated, and perhaps profoundly underestimated, thus over-estimating the true productivity effect. This is due to the fact that we are unable to measure shifts in the traffic composition in the over-200 mile block. There is tantalizing evidence that there have been strong increases in the share of very long distance trucking (more than 500 miles) between 1992 and 1997. This traffic composition effect, not captured in this paper, would further reduce the estimate true underlying physical productivity increase had its influence been measured.

Several disclaimers about this result should be mentioned. First, our index of productivity is a physical measurement of ton-miles per truck. We use this because it is the standard method in the literature for aggregating output across firms and industry segments, and it is also what can be measured systematically over the time period. However, if truck deliveries became swifter or more reliable or more predictable, or if the percentage of deliveries with lost or damaged freight declined, truck freight service productivity would have increased over the period, but our measures would have missed this change in quality. This is the form of quality enhancement that is assumed to be the payoff due to computerization in studies of the effect of technological adaptation in the labor economics literature (DiNardo and Pischke, 1997) and the results of this paper are fully consistent with the view that such quality enhancement is the primary way in which information technology improvements have affected the trucking industry. While we find no evidence of an acceleration of productivity increases as a result of information

technology, nothing that we have demonstrated in this paper contradicts the idea that substantial quality improvements in trucking have flowed from the adoption of information technology.

Second, some of the miles per truck since 1977 may have been more productive due to a decrease in circuitry that followed the abandonment of route restrictions imposed by economic regulation of the trucking industry. There have been no systematic measurement of regulatory-induced circuitry, and our data does not permit us to observe whether truck miles in our earlier data years may have been inflated due to regulatory-imposed routings.

We should also note that there is disagreement about the extent to which trucks pay the full costs of the highways that they use. (See for example, FHWA, 1998.) To the extent that trucking imposes external costs on other highway users, an increase in trucking productivity may not represent an improvement in social productivity. Socially productive productivity improvements require that trucks be charged their full marginal costs.

Data Appendix

Our data source is the Vehicle Inventory and Use Survey (VIUS, known before 1997 as the Truck Inventory and Use Survey, or TIUS). The VIUS is one of the major benchmark surveys of the Census of Transportation. Every five years a stratified random sample of more than 100,000 truck owners are mailed an extensive survey form, which asks about many characteristics of the vehicle and how it was used during the previous year. The sampling design is based primarily on state-level truck registration information, and every registered owner of any type of truck, from pickups and SUV's to tractor-trailers, is sampled, with the single major exception being owners that are units of government.³ Compliance with the survey is legally required under Title 13, United States Code, and, by the same statute, individual responses are confidential. Response rates are typically 75% or better, and, after any deletions required maintaining respondent confidentiality, an approximately 100,000-case public use microdata set results for each year. Sampling weights are provided to permit inferences about population values.

In the present analysis, we start for each survey year by extracting the subset of “heavy freight vehicles”, as defined in Burks, et al. (2004), from the public use file. These are vehicles that have a body type that can haul freight, that are not used primarily for personal transportation, that have a maximum legal gross vehicle weight (GVW) of at least 26,000 lbs.,⁴ and which are

³ The two biggest groups of vehicles thus excluded are vehicles owned by the USPS and the U.S. military.

⁴ This breakpoint demarcates Class VII and Class VIII commercial vehicles from smaller ones, and is the level at which a Commercial Driver's License is required due to the weight of the vehicle alone. In addition, the VIUS survey design uses this weight as a major demarcation, so vehicles with this GVW or greater are sampled

operated on-road. In 1977, this selection process reduced the full sample of 96,494 cases, representing 26.2 million trucks of all kinds, to a sub-sample of 22,877, representing 1.43 million heavy freight vehicles. In 1997, the selection process reduced the full sample of 104,545 cases, representing 72.8 million trucks of all kinds, to a sub-sample of 44,228, representing 2.13 million heavy freight vehicles.

Next, we further select from the sample those vehicles composed of (1) truck-tractors (2) with diesel engines (3) that were acquired before the sampling year, (4) were still owned by the respondent at the time of the survey, and (5) which primarily pulled semi-trailers of the basic enclosed van type. Restriction (1) eliminates straight trucks, and (2) eliminates the small number of heavy truck tractors that use gasoline or natural gas engines. Data from 1992 and 1997, for which the weeks of operation during the year are separately reported, show that vehicles acquired during the survey year or no longer currently owned are likely to be operated less than the full reporting year, biasing downward their reported annual miles; (3) and (4) eliminate such vehicles.

Interestingly, in conversing with Census officials during this project we discovered an undocumented data transformation they had made: for 1992 and 1997, Census increased the reported annual miles for vehicles used only part of the year to an annualized figure, but only for those vehicles acquired or disposed of during the reporting year, not for those vehicles owned the entire year and just not used the entire time. Apparently this reflected the historical fact that the questionnaire in previous years had asked respondents to calculate their own annualization, and

more heavily than are lighter vehicles, and the average loaded weight, required for ton-mile estimation, is only reported for vehicles above this boundary.

report it as their actual annual miles, under these circumstances. We decided to eliminate such cases in all years in order to reduce measurement errors in annual miles.

Finally, requirement (5) eliminates truck tractors that are pulling other trailer types, such as flatbeds, reefers (refrigerated vans), and more specialized equipment such as log trailers, dry bulk hoppers, dump bodies, tank trailers, or carhaul trailers. This ensures that, accounting for changes in length and weight from the data, we are comparing like “general purpose” vehicles across the data years. In 1997, this set of restrictions selected 5,363 cases representing 340,980 trucks of the desired type in the population, out of 40,575 cases representing 2.23 million heavy freight vehicles of all types.

Annual mileage was used in this study as reported by each truck owner. The percentage of loaded hauls was calculated as one minus the percentage of trips operated with no load. Average loads were calculated as the reported average weight of a truck with a load minus the average tare weight of the truck. The early years of the questionnaire allow the respondent to report either the empty weight of the truck or of the truck and trailer. Due to this ambiguity in the wording of the question on loaded weights, we limit the analysis to those records with trucks reporting an empty weight of more than 22,500 lbs and calculated net loads greater than 10,000 lbs.

The VIUS data for 2002, while available, are not utilized in the present study because the Census Bureau radically changed the industry and commodity definitions used in the survey, and so the 2002 data is not directly comparable to the earlier data years using our present framework.

References

Baumol, W.J., (1967), "The Macroeconomics of Unbalanced Growth: The Anatomy of Urban Crisis," *American Economic Review*, Vol. 57, pp.415-426.

Baumol, W.J., (1968), "The Macroeconomics of Unbalanced Growth: Comment," *American Economic Review*, Vol. 58, pp.896-897.

Baumol, W.J., (1972), "The Macroeconomics of Unbalanced Growth: Reply," *American Economic Review*, Vol. 62, p. 150.

Belman, Dale and Kristen Monaco (2001), "The Effects of Deregulation, De-Unionization, Technology, and Human Capital on the Work and Work Lives of Truck Drivers", *Industrial and Labor Relations Review*, Vol. 54, No. 2A, pp. 502-524.

Belzer, Michael, (1995), "Collective Bargaining after Deregulation: Do the Teamsters Still Count?", *Industrial and Labor Relations Review*, Vol. 48, No. 4, pp. 636-655.

Blundell, Richard and Thomas M. Stoker, (2005) "Heterogeneity and Aggregation," *The Journal of Economic Literature*, Volume XLIII, No. 2., pp. 347-391.

Burks, Stephen V., Kristen Monaco, and Josephine Myers-Kuykindall, (2004), "The Balance Between Private and For-Hire Carriage and Trends in the Use of Large Trucks (1977 to 1997)" *Journal of the Transportation Research Forum*, Vol. 43, No. 2.

DiNardo, John, and Jorn-Steffen Pischke, (1997) "The Returns to Computer Use Revisited: Have Pencils Changed the Wage Structure, Too?" *Quarterly Journal of Economics*, Vol. 112 (February) pp. 291-303.

Fernald, John G. (1999), "Roads to Prosperity? Assessing the Link between Public Capital and Productivity, *The American Economic Review*, Vol. 89, No. 3, pp. 620-638.

Hubbard, Thomas (2003), "Information, Decisions, and Productivity: On Board Computers and Capacity Utilization in Trucking," *The American Economic Review*, Vol. 93, No. 4, pp. 1328-1353.

Meyer, John R. *et al.* (1973), *Improving Railroad Productivity: Final Report of the Task Force on Railroad Productivity*, (A Report to the National Commission on Productivity and the Council of Economic Advisors, Washington, D.C.)

Monaco, Kristen, and Taggart Brooks, (2001), "Deregulation and Wages in Trucking: A Time Series Phenomenon - A Time Series Approach", *Research in Transportation Economics*, Vol. 6.

Rose, Nancy (1986), "The incidence of Regulatory Rents in the Motor Carrier Industry", *Rand Journal of Economics*, Vol. 16, No. 3.

Transportation Research Board (2002), *Special Report 267: Regulation of Weights, Lengths, and Widths of Commercial Motor Vehicles*, (Washington, D.C. National Academies Press.)

United States Bureau of the Census (various years), *Census of Transportation: Truck Inventory and Use Survey*, (Washington, D.C: U.S. Government Printing Office)

United States Bureau of the Census (various years), *Census of Transportation: Vehicle Inventory and Use Survey*, (Washington, D.C: U.S. Government Printing Office)

United States Department of Transportation Federal Highway Administration (FHWA,
1997), *1997 Federal Highway Cost Allocation Study Final Report*, (Washington, D.C: U.S.
Government Printing Office)

Table 1

Survey Regression of partial productivity measures
 Expansion Factor used as probability weights
 Year-Base State combinations used as primary sampling units
 Pooled Data 1977-1997

	(1)		(2)		(3)		(4)	
	Ln(Annual Miles) Coef.	Std. Err	Prob. Of Load Coef.	Std. Err	Net pounds of freight Coef.	Std. Err	Net pounds of freight Coef.	Std. Err.
pshort	0.87	0.06	-0.01	0.02	1290.0	641.5	2431.2	618.6
plong	1.62	0.04	0.05	0.02	7062.7	1212.1	8748.0	1168.9
retail	0.20	0.15	0.12	0.05	-4871.7	1683.0	-5234.4	1459.7
wholes	0.15	0.15	0.11	0.05	-3957.2	1601.0	-4064.8	1636.3
manuf	0.20	0.14	0.13	0.05	-3152.4	1733.0	-3533.9	1643.1
forhire	0.18	0.14	0.27	0.05	-3820.5	1478.1	-3874.6	1419.8
y77	-0.06	0.17						
y87	0.05	0.18	0.16	0.05	7192.6	4128.3	-3235.4	1873.5
y92	-0.20	0.18	0.10	0.06	-3434.9	3763.6	-4695.8	2177.7
y97	-0.06	0.19	0.15	0.06	9484.7	5026.9	2386.8	2243.0
pshort77	0.14	0.09						
plong77	0.00	0.07						
pshort87	0.11	0.09	-0.04	0.03	4644.4	944.1	4388.4	871.8
plong87	-0.01	0.09	0.00	0.02	4926.3	1559.3	4934.9	1403.5
pshort92	0.11	0.09	-0.01	0.03	1099.9	1226.7	1701.2	1280.2
plong92	-0.02	0.07	0.01	0.02	-304.5	1690.4	1905.1	1640.0
pshort97	0.06	0.09	0.05	0.02	1946.4	1332.2	1657.7	1422.3
plong97	0.07	0.08	0.06	0.02	-1874.7	2249.7	-1493.0	2039.2
retail77	0.05	0.20						
wholes77	-0.07	0.17						
manuf77	-0.01	0.19						
forhire77	0.11	0.16						
retail87	-0.01	0.18	-0.11	0.06	3720.1	2817.9	4245.5	2668.2
wholes87	-0.04	0.18	-0.10	0.05	-262.3	2282.7	-524.8	2327.8
manuf87	-0.04	0.16	-0.13	0.05	361.1	2298.7	622.9	2249.0
forhire87	0.04	0.17	-0.13	0.05	835.2	1933.1	796.5	1914.2
retail92	0.11	0.16	-0.06	0.05	3010.1	2640.6	3643.9	2529.2
wholes92	0.20	0.17	-0.04	0.05	2300.3	2268.3	1688.9	2514.2
manuf92	0.11	0.15	-0.05	0.06	452.5	2498.4	994.5	2645.8
forhire92	0.33	0.16	-0.09	0.05	1740.5	2027.9	1819.7	2207.2
retail97	0.17	0.17	-0.14	0.05	588.9	2847.3	1099.6	2799.0
wholes97	0.05	0.20	-0.10	0.06	1817.0	2436.2	1721.7	2561.3
manuf97	0.02	0.16	-0.15	0.06	3730.3	3012.3	4221.6	3011.4
forhire97	0.19	0.16	-0.17	0.05	-1948.2	2600.9	-1327.1	2641.9
length					449.3	44.5		
length87					-204.3	71.0		
length92					-35.8	54.3		
length97					-161.8	76.8		
farpmpd	-0.07	0.09	-0.01	0.03	8934.2	1330.8	9132.7	1410.3

	(1)		(2)		(3)		(4)	
prfood	0.12	0.03	0.07	0.01	5604.1	919.2	6306.0	952.4
bldgma	0.06	0.06	0.06	0.03	3399.8	1451.3	3932.7	1516.2
paper	0.09	0.04	0.05	0.01	299.8	1217.8	1446.2	1210.4
chem	-0.07	0.07	0.15	0.02	5370.8	1038.2	5915.4	1057.7
primtl	-0.13	0.11	0.12	0.03	5307.5	1400.1	6399.5	1485.4
fabmtl	-0.02	0.05	0.06	0.02	-2269.8	1142.8	-1609.9	1081.8
machne	-0.23	0.07	0.16	0.02	-2455.6	1306.2	-2523.8	1334.9
tequip	-0.02	0.06	0.10	0.01	122.4	1641.0	1015.3	1576.2
furn	-0.05	0.06	0.09	0.02	-8508.6	1535.0	-8190.2	1482.6
textil	0.05	0.04	0.11	0.02	-3366.6	1039.0	-2764.6	1066.8
forest	0.10	0.13	0.04	0.04	12710.9	3194.3	12767.3	3194.9
petroplast	0.03	0.08	0.11	0.02	-3081.2	2264.6	-2901.4	2455.0
_cons	9.59	0.16	0.52	0.05	9783.1	2687.2	32997.8	1238.9
Num of observations	23193		11298		17897		17910	
Num of strata	1		1		1		1	
Num of PSUs	157		140		140		140	
Population size	1078755		497326.3		770869.5		771203.8	
F(47,1000)	237.39		F(40, 68)	60	F(44,96)	45.57	F(40,100)	34.74
R-squared	0.4227		0.2312		0.1497		0.1248	

Bold faced coefficients are significant at the 95% confidence level.

Table 2
Trends in Ton-Miles per Truck and in Components of Ton-miles
With Current Year and Constant Traffic Proportions.

Averaging Method	1982	1987	1992	1997	Average annual change
Probability of a truck operating with a load					
Current year wtd average	0.786	0.816	0.833	0.854	0.54%
1982 weighted average	0.786	0.810	0.814	0.824	0.29%
Miles per truck					
Current year wtd average	63,628	72,043	73,998	82,053	1.58%
1982 weighted average	63,628	68,819	69,201	74,933	0.99%
Net pounds per loaded truck					
Current year wtd average	41,262	43,966	39,594	42,046	-0.10%
1982 weighted average	41,262	43,300	40,155	42,830	0.07%
Net pounds per loaded truck with truck length fixed at average 1982 size					
Current year wtd average	41,020	42,973	36,849	39,151	-0.59%
1982 weighted average	41,020	42,366	37,644	40,198	-0.25%
Ton-miles per truck per year					
Current year wtd average	1,083,883	1,363,378	1,284,580	1,506,009	1.85%
1982 weighted average	1,083,883	1,281,773	1,201,642	1,376,665	1.31%
Ton-miles per truck per year with truck length fixed at average 1982 size					
Current year wtd average	1,071,403	1,326,451	1,179,500	1,390,393	1.33%
1982 weighted average	1,071,403	1,247,620	1,111,197	1,280,750	0.84%

Source: Calculations by authors. Growth rates are estimates from the regression of the natural logarithm of the dependent variable on an appropriate time trend. See text.

Table 3

Aggregation shares and trends of ton-miles and determinants of ton-miles for fractions of truck traffic

	1982 Tm/truck	82 miles share	97 share of miles	miles77- 97	loadfac	wt lngh- const	weight	TM lngh const	TM
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
plocal	229,340	13.31%	6.76%	0.37%	0.08%	-0.03%	0.33%	0.43%	0.80%
pshort	568,675	28.03%	24.96%	0.25%	0.48%	0.07%	0.42%	1.29%	1.64%
plong	1,524,098	58.65%	68.28%	0.70%	0.37%	-0.67%	-0.15%	0.70%	1.22%
forhire	1,184,725	68.95%	72.31%	0.72%	0.19%	-0.61%	-0.10%	0.77%	1.28%
retail	929,637	14.68%	8.16%	0.40%	0.44%	-0.22%	0.25%	0.97%	1.44%
wholesale	819,631	9.63%	6.76%	0.58%	0.79%	0.19%	0.50%	1.24%	1.55%
manufa	874,146	4.27%	4.91%	-0.03%	0.44%	0.36%	0.77%	0.67%	1.07%
other	578,392	2.47%	7.85%	-0.34%	1.65%	-0.20%	0.12%	0.91%	1.23%
farmpd	741,695	1.99%	1.84%	0.37%	0.60%	-0.32%	0.17%	0.87%	1.35%
prfood	1,113,305	10.87%	11.31%	0.45%	0.43%	-0.16%	0.25%	0.91%	1.31%
bldgma	1,132,266	2.05%	1.57%	0.60%	0.36%	-0.55%	-0.07%	0.78%	1.27%
paper	1,097,078	5.78%	10.54%	0.63%	0.32%	-0.56%	-0.03%	0.75%	1.28%
chem	1,064,149	2.66%	2.88%	0.55%	0.31%	-0.39%	0.06%	0.85%	1.29%
primtl	1,137,312	1.79%	2.29%	0.56%	0.37%	-0.44%	0.01%	0.82%	1.27%
fabmtl	1,119,179	3.04%	2.56%	0.59%	0.33%	-0.53%	0.03%	0.78%	1.33%
machne	898,861	1.40%	3.70%	0.58%	0.35%	-0.58%	-0.01%	0.68%	1.24%
tequip	1,074,754	1.73%	5.31%	0.60%	0.36%	-0.57%	-0.04%	0.72%	1.26%
furn	826,587	2.54%	4.05%	0.64%	0.31%	-0.72%	-0.02%	0.56%	1.27%
textil	975,538	3.12%	5.13%	0.57%	0.36%	-0.50%	0.07%	0.72%	1.29%
forest	1,253,681	0.14%	0.28%	0.63%	0.27%	-0.37%	0.01%	0.97%	1.35%
petroplast	1,127,693	0.73%	2.05%	0.67%	0.23%	-0.69%	-0.08%	0.64%	1.25%
othcom	1,112,752	62.16%	46.49%	0.56%	0.39%	-0.42%	0.00%	0.89%	1.31%

Source: Calculations by authors. See text.